CEREAL CHEMISTRY®

Author Index to Volume 87

Page numbers of errata are in italic.

Abdel-Samie, M. A.-S., J. Wan, W. Huang, O. K. Chung, and B. Xu. Effects of cumin and ginger as antioxidants on dough mixing properties and cookie quality, 454
Abugoch, L. E., N. E. Martínez, and M. C. Añón. Influence of pH on structure and function of amaranth (*Amaranthus hypochondriacus*) protein isolates, 448
Agama-Acevedo, E. *See* R. G. Utrilla-Coello, 50
Aguilar-Palazuelos, E. *See* V. Limón-Valenzuela, 612
Ai, Y. *See* J. Hasjim, 257
Ajith, A., M. T. Labuschagne, A. F. Malan, A. van Biljon, and B. Wentzel. Relationship between malting quality traits and hordeins as affected by timing of nitrogen fertilizer application, 393
Almeida, E. L. Chang, Y. K., and Steel, C. J. Effect of adding different dietary fiber sources on farinographic parameters of wheat flour, 566
Alviola, J. N., and J. M. Awika. Relationship between objective and subjective wheat flour tortilla quality evaluation methods, 481
——, T. Jondiko, and J. M. Awika. Effect of cross-linked resistant starch on wheat tortilla quality, 221
Ambigaipalan, P. *See* R. N. Chibbar, 342
Anderson, J. A. *See* T. J. Tsilo, 104
Andersson, R. *See* L. Haskå, 125
Angelikousis, S. *See* D. C. Doehlert, 532
Añón, M. C. *See* L. E. Abugoch, 448
Aravind, N. *See* M. Sissons, 57
Arora, A., B. S. Dien, R. L. Belyea, P. Wang, V. Singh, M. E. Tumbleson, and K. D. Rausch. Laboratory yields and process stream compositions from E-mill and dry-grind corn processes using a granular starch hydrolyzing enzyme, 100
Ashraf-Khorassani, M. *See* K. M. Phillips, 42
Attaviboonkul, P. *See* N. Vatanasuchart, 73
Atungulu, G. G. *See* L. Cui, 403
Awika, J. M. *See* J. N. Alviola, 221, 481

Bach Knudsen, K. E., and H. Nygaard Lærke. REVIEW: Rye arabinoxylans: Molecular structure, physicochemical properties and physiological effects in the gastrointestinal tract, 353
Bacic, A. *See* H. M. Collins, 272
Baik, B.-K. *See* S. Nair, 461
——. *See* C. S. Park, 561
Barba de la Rosa, A. P. *See* R. G. Utrilla-Coello, 50
Baxter, G., J. Zhao, and C. Blanchard. Albumin significantly affects pasting and textural characteristics of rice flour, 250
Bean, S. R. *See* W. B. Johnson, 524
Bello-Pérez, L. A. *See* R. G. Utrilla-Coello, 50
Belyea, R. L. *See* A. Arora, 100
BeMiller, J. N. *See* Y. Widya, 194
Berrios, J. *See* L. Cui, 403
Berzonsky, W. *See* K. H. S. Peiris, 511
Bhadra, R., K. Muthukumarappan, and K. A. Rosentrater. Physical and chemical characterization of fuel ethanol coproducts relevant to value-added uses, 439
Binns, N. M. Regulatory aspects for whole grain and whole grain food: An EU perspective, 162
Blake, T. K. *See* S. Nair, 461
Blanchard, C. *See* G. Baxter, 250
Borwankar, R. P. *See* R. L. Magaletta, 363
Botticella, E. *See* D. Lafiandra, 28
Brijs, K. *See* I. J. Joye, 420
——. *See* B. Pareyt, 226
——. *See* E. Wilderjans, 475
Brownlee, I. A. *See* C. J. Seal, 167
Burton, R. A. *See* H. M. Collins, 272

Caffe-Treml, M. Variability and relationships among mixolab, mixograph, and baking parameters based on multienvironment spring wheat trials, 574
Cakmak, I., W. H. Pfeiffer, and B. McClafferty. REVIEW: Biofortification of durum wheat with zinc and iron, 10
——. *See* U. B. Kutman, 1
Capuano, E., G. Garofalo, A. Napolitano, H. Zielinski, and V. Fogliano. Rye flour extraction rate affects Maillard reaction development, antioxidant activity, and acrylamide formation in bread crisps, 131
Caro-Corrales, J. J. *See* V. Limón-Valenzuela, 612
Certel, M. *See* M. Erbas, 398
Chaitep, W. *See* O. S. Kittipongpatana, 214
Chang, Y. K. *See* E. Lopes Almeida, 566
Chapman, J. S., F. M. Steele, D. L. Eggett, N. P. Johnston, and M. L. Dunn. Stability of native folate and added folic acid in micronutrient-fortified corn masa and tortillas, 434
Chen, L. *See* H. Liu, 144
——. *See* C. Wang, 597
Chen, P. *See* H. Liu, 144
Chibbar, R. N., P. Ambigaipalan, and R. Hoover. REVIEW: Molecular diversity in pulse seed starch and complex carbohydrates and its role in human nutrition and health, 342
Cho, S. *See* K. M. Phillips, 42
Chung, H.-J., Q. Liu, R. Wang, Y. Yin, and A. Li. Physicochemical properties and in vitro starch digestibility of cooked rice from commercially available cultivars in Canada, 297
Chung, O. K. *See* M. A.-S. Abdel-Samie, 454
Collar, C. *See* C. Fadda, 204
Collins, H. M., R. A. Burton, D. L. Topping, M.-L. Liao, A. Bacic, and G. B. Fincher. REVIEW: Variability in fine structures of noncellulosic cell wall polysaccharides from cereal grains: Potential importance in human health and nutrition, 272
Cooke, P. *See* M. P. Yadav, 89
Cooper, B. *See* S. Nair, 461
Copeland, L. *See* M. A. Wilkes, 95
Courtin, C. M. *See* V. Van Craeyveld, 283
Cui, L., Z. Pan, T. Yue, G. G. Atungulu, and J. Berrios. Effect of ultrasonic treatment of brown rice at different temperatures on cooking properties and quality, 403

DeAmbrogio, E. *See* D. Lafiandra, 28
Delcour, J. A. *See* I. J. Joye, 420
——. *See* B. Pareyt, 226
——. *See* V. Van Craeyveld, 283
——. *See* E. Wilderjans, 475
Demir, M. *See* M. Erbas, 398
DiCataldo, S. N. *See* R. L. Magaletta, 363
Dien, B. S. *See* A. Arora, 100
Doehlert, D. C., R. A. Moreau, R. Welti, M. R. Roth, and M. S. McMullen. Polar lipids from oat kernels, 467
——, S. Angelikousis, and B. Vick. Accumulation of oxygenated fatty acids in oat lipids during storage, 532
Donelson, T. *See* M. Kweon, 415
Dong, Y. *See* K. H. S. Peiris, 511
Dornez, E. *See* V. Van Craeyveld, 283
D'Ovidio, R. *See* D. Lafiandra, 28
Dowell, F. *See* J.-B. Ohm, 553
——. *See* K. H. S. Peiris, 511
Dunn, M. L. *See* J. S. Chapman, 434

Edwards, N. M. *See* S. G. Stevenson, 137
Eggett, D. L. *See* J. S. Chapman, 434
Eitenmiller, R. R. *See* K. M. Phillips, 42
Emmambux, M. N. *See* J. R. N. Taylor, 263
Engle, D. A. *See* Y. L. Ong, 79

Englson, J. *See* D. Hauge, 155
Erbas, M., M. K. Uslu, M. Demir, and M. Certel. Effects of extraction rates of wheat flour on phyllo (*yufka*) properties at different storage temperatures, 398

Fadda, C., E. M. Santos, A. Piga, and C. Collar. Innovative traditional Italian durum wheat breads: Influence of yeast and gluten on performance of sourdough *Moddizzosu* breads, 204
Fellows, C. M. *See* M. Sissons, 57
Ferrazzano, G. *See* D. Lafiandra, 28
Fincher, G. B. *See* H. M. Collins, 272
Fogliano, V. *See* E. Capuano, 131
Fok, P. Y. *See* S. G. Stevenson, 137
Fox, S. R. *See* O. Taboada-Gaytan, 175
Fulcher, G. *See* D. Hauge, 155

Garofalo, G. *See* E. Capuano, 131
Georgeta, S. *See* B. Iuliana, 112
Giroux, M. J. *See* N. P. Reynolds, 237
Glover, K. D. *See* M. Caffe-Treml, 574
Goldstein, A., K. K. M. Nantanga, and K. Seetharaman. REVIEW: Molecular interactions in starch-water systems: Effect of increasing starch concentration, 370
Gralik, J. *See* J. R. Warchalewski, 35
Griffey, C. A. *See* S. Nair, 461
Griffiths, T. Promoting cereal grain and whole grain consumption: An Australian perspective, 159
Gunawan, N. *See* Y. Widya, 194

Hamaker, B. R. *See* G. Zhang, 331
Hareland, G. A. *See* M. Caffe-Treml, 574
——. *See* J.-B. Ohm, 553
——. *See* T. J. Tsilo, 104
Hasjim, J., S.-O. Lee, S. Hendrich, S. Setiawan, Y. Ai, and J.-l. Jane. Characterization of a novel resistant-starch and its effects on postprandial plasma-glucose and insulin responses, 257
Haskå, L., M. Nyman, and R. Andersson. Characterization of indigestible carbohydrates in various fractions from wheat processing, 125
Hauge, D., S. McCurry, J. Englson, G. Fulcher, D. Hesse, and L. Marquart. Grains for health: A look to the past and insights into the future, 155
Hayes, P. M. *See* S. Nair, 461
Hendrich, S. *See* J. Hasjim, 257
Herald, T. J. *See* R. S. Jonnala, 546
Herrman, T. J. *See* W. B. Johnson, 524
Hesse, D. *See* D. Hauge, 155
Hicks, K. B. *See* M. P. Yadav, 89
Holden, J. M. *See* K. M. Phillips, 42
Hole, D. J. *See* S. Nair, 461
Holo Painen, U. *See* V. Van Craeyveld, 283
Hoover, R. *See* R. N. Chibbar, 342
Horsley, R. D. *See* S. Nair, 461
Huang, W. *See* M. A.-S. Abdel-Samie, 454
——. *See* L. Li, 497

Inglett, G. E. *See* D. J. Rose, 607
Ito, H. *See* K. Nakamura, 505
Iuliana, A. *See* B. Iuliana, 112
Iuliana, B., S. Georgeta, I. Violeta, and A. Iuliana. Physicochemical and rheological analysis of flour mill streams, 112
Izydorczyk, M. S. Variations in content and molecular structure of barley nonstarch polysaccharides associated with genotypic and cellular origin, 376

Jackson, D. S. *See* W. B. Johnson, 524
Jane, J.-l. *See* J. Hasjim, 257
Janeš, D., H. Prosen, I. Kreft, and S. Kreft. Aroma compounds in buckwheat (*Fagopyrum esculentum* Moench) groats, flour, bran, and husk, 141
Janni, M. *See* D. Lafiandra, 28
Jia, C. *See* L. Li, 497
Jiang, L. *See* Y. Shen, 118
Johnson, L. A. *See* O. Taboada-Gaytan, 175, 486
Johnson, W. B. Factors affecting the alkaline cooking performance of selected corn and sorghum hybrids, 524
Johnston, D. B. *See* M. P. Yadav, 89
Johnston, N. P. *See* J. S. Chapman, 434
Jondiko, T. *See* J. N. Alviola, 221
Jones, J. M. REVIEW: Regulatory aspects of whole grain and whole grain foods: Definitions and labeling, 150
Jonnala, R. S., F. MacRitchie, T. J. Herald, D. Lafiandra, B. Margiotta, and M. Tilley. Protein and quality characterization of triticale translocation lines in breadmaking, 546
——, ——. V. W. Smail, B. W. Seabourn, M. Tilley, D. Lafiandra, and M. Urbano. Protein and quality characterization of complete and partial near-isogenic lines of waxy wheat, 538
Joye, I. J., J. Shang, K. Brijs, and J. A. Delcour. Effect of coenzymes NAD(P)(H) in straight-dough breadmaking on protein properties and loaf volume, 420

Kerckhofs, G. *See* E. Wilderjans, 475
Keierleber, C., and K. A. Rosenstrater. Granular packing influences bulk density of DDGS, 586
Kim, H.-J. *See* K. A. Rohlfing, 581
Kim, S. *See* D. J. Rose, 607
Kim, Y. *See* L. Li, 497
Kittipongpatana, N. *See* O. S. Kittipongpatana, 214
Kittipongpatana, O. S., W. Chaitep, and N. Kittipongpatana. Physicochemical and pharmaceutical properties of cross-linked carboxymethyl rice starch prepared by a simultaneous dual reaction, 214
Kongraksawech, T., A. S. Ross, and Y.-L. Ong. NOTE: Effect of carbonate on co-extraction of arabinoxylans with glutenin macropolymer, 86
Kreft, I. *See* D. Janeš, 141
Kreft, S. *See* D. Janeš, 141
Krishnan, P. *See* M. Caffe-Treml, 574
Kutman, U. B., B. Yildiz, L. Ozturk, and I. Cakmak. Biofortification of durum wheat with zinc through soil and foliar applications of nitrogen, 1
Kweon, M., T. Donelson, L. Slade, and H. Levine. NOTE: Micro-sugar-snap and micro-wire-cut cookie baking with trans-fat and zero-trans-fat shortenings, 415
——, L. Slade, H. Levine, and E. Souza. Application of RVA and time-lapse photography to explore effects of extent of chlorination, milling extraction rate, and particle-size reduction of flour on cake-baking functionality, 409

Labuschagne, M. T. *See* A. Ajith, 393
Lafiandra, D., F. Sestili, R. D'Ovidio, M. Janni, E. Botticella, G. Ferrazzano, M. Silvestri, R. Ranieri, and E. DeAmbrogio. Approaches for modification of starch composition in durum wheat, 28
——. *See* R. S. Jonnala, 538, 546
Lagrain, B. *See* E. Wilderjans, 475
Lee, K.-M. *See* W. B. Johnson, 524
Lee, S.-O. *See* J. Hasjim, 257
Lemar, L. E. *See* K. M. Phillips, 42
Levavasseur, G. *See* M. A. Wilkes, 95
Levine, H. *See* M. Kweon, 409, 415
Li, A. *See* H.-J. Chung, 297
Li, H. L. *See* R. L. Magaletta, 363
Li, L., Y. Kim, W. Huang, C. Jia, and B. Xu. Effects of ice structuring proteins on freeze-thaw stability of corn and wheat starch gels, 497
Li, M. *See* H. Liu, 144
Liao, M.-L. *See* H. M. Collins, 272
Limón-Valenzuela, V., F. Martínez-Bustos, E. Aguilar-Palazuelos, J. J. Caro-Corrales, and J. J. Zazueta-Morales. Physicochemical evaluation and optimization of enriched expanded pellets with milk protein concentrate, 612
Liu, D. *See* R. L. Magaletta, 363
Liu, H., M. Li, P. Chen, L. Yu, L. Chen, and Z. Tong. Morphologies and thermal properties of hydroxypropylated high-amylose corn starch, 144
——. *See* C. Wang, 597
Liu, K. Selected factors affecting crude oil analysis of distiller dried grains with solubles (DDGS) as compared with milled corn, 243
Liu, L. *See* Y. Shen, 118
Liu, Q. *See* H.-J. Chung, 297
Liu, X. *See* Y. Shen, 118

MacRitchie, F. *See* R. S. Jonnala, 538, 546
Magaletta, R. L., S. N. DiCataldo, D. Liu, H. L. Li, R. P. Borwankar, and M. C. Martini. In vitro method for predicting glycemic index of foods using simulated digestion and an artificial neural network, 363
Maghirang, E. B. *See* J.-B. Ohm, 553
——. *See* K. H. S. Peiris, 511
Malan, A. F. *See* A. Ajith, 393
Mandić, A. *See* I. Sedej, 387
Maningat, C. C., and P. A. Seib. Understanding the physicochemical and functional properties of wheat starch in various foods, 305
Margiotta, B. *See* R. S. Jonnala, 546
Marquart, L. *See* D. Hauge, 155
Martin, J. M. *See* N. P. Reynolds, 237
Martínez, N. E. *See* L. E. Abugoch, 448
Martínez-Bustos, F. *See* V. Limón-Valenzuela, 612
Martini, M. C. *See* R. L. Magaletta, 363
Mason, S. C. *See* W. B. Johnson, 524
McClafferty, B. *See* I. Cakmak, 10
McCurry, S. *See* D. Hauge, 155
McMullen, M. S. *See* D. C. Doehlert, 467
Mišan, A. *See* I. Sedej, 387
Montgomery, K. T. *See* O. Taboada-Gaytan, 175, 486
Moog, D. J. P., R. L. Stroshine, and L. M. Seitz. Fungal susceptibility at four temperature-moisture combinations and carbon dioxide kit color reader evaluation, 182
Moreau, R. A. *See* D. C. Doehlert, 467
Moriartey, S., F. Temelli, and T. Vasanthan. Effect of formulation and processing treatments on viscosity and solubility of extractable barley β-glucan in bread dough evaluated under in vitro conditions, 65
——, ——, and ——. Effect of health information on consumer acceptability of bread fortified with β-glucan and effect of fortification on bread quality, 428
Muehlbauer, G. J. *See* S. Nair, 461
Murayama, R. *See* M. Seguchi, 231
Muthukumarappan, K. *See* R. Bhadra, 439

Nair, S., S. E. Ullrich, T. K. Blake, B. Cooper, C. A. Griffey, P. M. Hayes, D. J. Hole, R. D. Horsley, D. E. Obert, K. P. Smith, G. J. Muehlbauer, and B.-K. Baik. Variation in kernel hardness and associated traits in U.S. barley breeding lines, 461
Naivikul, O. *See* N. Vatanasuchart, 73
Nakamura, K., Taniguchi, Y., Taira, M., and Ito, H. Prediction of specific Japanese sponge cake volume using pasting properties of flour, 505
Nantanga, K. K. M. *See* A. Goldstein, 370
Napolitano, A. *See* E. Capuano, 131
Niyomwit, B. *See* N. Vatanasuchart, 73
Nygaard Lærke, H. *See* K. E. Bach Knudsen, 353
Nyman, M. *See* L. Haskå, 125

Obert, D. E. *See* S. Nair, 461
Ohm, J.-B., Dowell, F., Hareland, G., Simsek, S., Seabourn, B., and Maghirang, E. Molecular weight distribution of proteins in hard red spring wheat: Relationship to quality parameters and intrasample uniformity, 553
——. *See* T. J. Tsilo, 104
Okusu, H. *See* M. Seguchi, 231
Olcana, B., and Özay, D. S. Preparation and functional properties of gluten hydrolysates with wheat-bug (*Eurygaster* spp.) protease, 518
Oneda, H. *See* M. Seguchi, 231
Ong, Y. L., A. S. Ross, and D. A. Engle. Glutenin macropolymer in salted and alkaline noodle doughs, 79
——. *See* T. Kongraksawech, 86
Ozturk, L. *See* U. B. Kutman, 1

Paez, A. *See* K. A. Rohlfing, 581
Pan, Z. *See* L. Cui, 403
Pareyt, B., K. Brijs, and J. A. Delcour. Impact of fat on dough and cookie properties of sugar-snap cookies, 226
Park, C. S., and B.-K. Baik. Recovery and purity of isolated barley starch and protein as affected by fractionation water temperature, 561
Pascale, M. *See* A. Visconti, 21
Pehrsson, P. R. *See* K. M. Phillips, 42
Peiris, K. H. S., M. O. Pumphrey, Y. Dong, E. B. Maghirang, W. Berzonsky, and F. E. Dowell. Near-infrared spectroscopic method for identification of *Fusarium* head blight damage and prediction of deoxynivalenol in single wheat kernels, 511
Perry, C. R. *See* K. M. Phillips, 42
Pfeiffer, W. H. *See* I. Cakmak, 10
Phillips, K. M., D. M. Ruggio, M. Ashraf-Khorassani, R. R. Eitenmiller, S. Cho, L. E. Lemar, C. R. Perry, P. R. Pehrsson, and J. M. Holden. Folic acid content of ready-to-eat cereals determined by liquid chromatography-mass spectrometry: Comparison to product label and to values determined by microbiological assay, 42
Piga, A. *See* C. Fadda, 204
Pollak, L. M. *See* K. A. Rohlfing, 190
——. *See* O. Taboada-Gaytan, 175, 486
Poutanen, K. *See* V. Van Craeyveld, 283
Prosen, H. *See* D. Janeš, 141
Pumphrey, M. O. *See* K. H. S. Peiris, 511

Ranieri, R. *See* D. Lafiandra, 28
Ratnayake, W. S. *See* W. B. Johnson, 524
Rausch, K. D. *See* A. Arora, 100
Reynolds, N. P., J. M. Martin, and M. J. Giroux. Novel Ha locus, *Pina-D1c/Pinb-D1h*, affects soft white spring wheat milling and baking, 237
Rodríguez-Ambriz, S. L. *See* R. G. Utrilla-Coello, 50
Rohlfing, K. A., A. Paez, H. J. Kim, and P. J. White. Effects of resistant starch and fiber from high-amylose non-*floury* corn on tortilla texture, 581
——, L. M. Pollak, and P. J. White. Exotic corn lines with increased resistant starch and impact on starch thermal characteristics, 190
Rose, D. J., Kim, S., and Inglett, G. E. Influence of jet cooking and pH on extraction and molecular weight of β-glucan and arabinoxylan from barley (*Hordeum vulgare* Prowashonupana), 607
Rosentrater, K. A. *See* R. Bhadra, 439
——. *See* C. Keierleber, 586
Ross, A. S. *See* T. Kongraksawech, 86
——. *See* Y. L. Ong, 79
Roth, M. R. *See* D. C. Doehlert, 467
Ruggio, D. M. *See* K. M. Phillips, 42

Sakač, M. *See* I. Sedej, 387
Santos, E. M. *See* C. Fadda, 204
Seabourn, B. W. *See* J.-B. Ohm, 553
——. *See* R. S. Jonnala, 538
Seal, C. J., and I. A. Brownlee. Whole grains and health, evidence from observational and intervention studies, 167
Sedej, I., A. Mandiæ, M. Sakać, A. Mišan, and V. Tumbas. Comparison of antioxidant components and activity of buckwheat and wheat flours, 387
Seetharaman, K. *See* A. Goldstein, 370
Seguchi, M., M. Uozu, H. Oneda, R. Murayama, and H. Okusu. Effect of outer bran layers from germinated wheat grains on breadmaking properties, 231
Seib, P. A. *See* C. C. Maningat, 305
Seitz, L. M. *See* D. J. P. Moog, 182
Selinheimo, E. *See* V. Van Craeyveld, 283
Sestili, F. *See* D. Lafiandra, 28
Setiawan, S. *See* J. Hasjim, 257
Seung, D. *See* M. A. Wilkes, 95
Shang, J. *See* I. J. Joye, 420
Shen, Y., L. Liu, L. Jiang, Y. Zhang, X. Liu, H. Zhai, and J. Wan. Identification of quantitative trait loci affecting grain fat content in rice (*Oryza sativa* L.), 118
Silvestri, M. *See* D. Lafiandra, 28
Simsek, S. *See* J.-B. Ohm, 553
Singh, V. *See* A. Arora, 100
Sissons, M., N. Aravind, and C. M. Fellows. Quality of fiber-enriched spaghetti containing microbial transglutaminase, 57
Sivri Özay, D. *See* B. Olanca, 518
Slade, L. *See* M. Kweon, 409, 415
Slavin, J. Whole grains and digestive health, 292
Smail, V. W. *See* R. S. Jonnala, 538
Smith, K. P. *See* S. Nair, 461
Souza, E. *See* M. Kweon, 409
Steel, C. J. *See* E. Lopes Almeida, 566

Steele, F. M. *See* J. S. Chapman, 434
Stevenson, S. G., P. Y. Fok, and N. M. Edwards. NOTE: Evaluating sugar-snap cookie quality using digital image analysis, 137
Stroshine, R. L. *See* D. J. P. Moog, 182

Taboada-Gaytan, O., L. M. Pollak, L. A. Johnson, S. R. Fox, and K. T. Montgomery. Variation among physical, compositional, and wet-milling characteristics of the F_1 generation of corn hybrids of introgressed exotic and adapted inbred lines, 175
——, ——, ——, ——, and ——. Physical, compositional, and wet milling characteristics of grain from crosses of corn inbreds with exotic and nonexotic background, 486
Taira, M. *See* K. Nakamura, 505
Taniguchi, Y. *See* K. Nakamura, 505
Taylor, J. R. N., and M. N. Emmambux. REVIEW: Developments in our understanding of sorghum polysaccharides and their health benefits, 263
Temelli, F. *See* S. Moriartey, 65, 428
——. *See* C. Wang, 597
Tian, Z. *See* C. Wang, 597
Tilley, M. *See* R. S. Jonnala, 538, 546
Tong, Z. *See* H. Liu, 144
Topping, D. L. *See* H. M. Collins, 272
Trethowan, R. M. *See* M. A. Wilkes, 95
Tsilo, T. J., J.-B. Ohm, G. A. Hareland, and J. A. Anderson. Association of size-exclusion HPLC of endosperm proteins with dough mixing and breadmaking characteristics in a recombinant inbred population of hard red spring wheat, 104
Tumbas, V. *See* I. Sedej, 387
Tumbleson, M. E. *See* A. Arora, 100

Ullrich, S. E. *See* S. Nair, 461
Uozu, M. *See* M. Seguchi, 231
Urbano, M. *See* R. S. Jonnala, 538
Uslu, M. K. *See* M. Erbas, 398
Utrilla-Coello, R. G., E. Agama-Acevedo, A. P. Barba de la Rosa, S. L. Rodríguez-Ambriz, and L. A. Bello-Pérez. Physicochemical and enzyme characterization of small and large starch granules isolated from two maize cultivars, 50

van Biljon, A. *See* A. Ajith, 393
Van Craeyveld, V., E. Dornez, U. Holopainen, E. Selinheimo, K. Poutanen, J. A. Delcour, and C. M. Courtin. Wheat bran AX properties and choice of xylanase affect enzymic production of wheat bran-derived arabinoxylan-oligosaccharides, 283
Varanyanond, W. *See* N. Vatanasuchart, 73
Vasanthan, T. *See* S. Moriartey, 65, 428
Vatanasuchart, N., P. Attaviboonkul, B. Niyomwit, W. Varanyanond, and O. Naivikul. Freeze-thaw stability of *bualoy* Thai dessert using waxy rice flour, 73
Vick, B. *See* D. C. Doehlert, 532
Violeta, I. *See* B. Iuliana, 112
Visconti, A., and M. Pascale. REVIEW: An overview on Fusarium mycotoxins in the durum wheat pasta production chain, 21

Wan, J. *See* M. A.-S. Abdel-Samie, 454
——. *See* Y. Shen, 118
Wang, C. Functionality of barley proteins extracted and fractionated by alkaline and alcohol methods, 597
Wang, P. *See* A. Arora, 100
Wang, R. *See* H.-J. Chung, 297
Wang, Y. *See* C. Wang, 597
Warchalewski, J. R., and J. Gralik. Influence of microwave heating on biological activities and electrophoretic pattern of albumin fraction of wheat grain, 35
Welti, R. *See* D. C. Doehlert, 467
Wentzel, B. *See* A. Ajith, 393
Wevers, M. *See* E. Wilderjans, 475
White, P. J. *See* K. A. Rohlfing, 190, 581
Widya, Y., N. Gunawan, and J. N. BeMiller. Methods for determining relative average number of channels per maize starch granule and digestion of raw granules of mutant maize cultivars by amyloglucosidase, 194
Wilderjans, E., G. Kerckhofs, B. Lagrain, K. Brijs, M. Wevers, and J. A. Delcour. Baking gradients cause heterogeneity in starch and proteins in pound cake, 475
Wilkes, M. A., D. Seung, G. Levavasseur, R. M. Trethowan, and L. Copeland. Effects of soil type and tillage on protein and starch quality in three related wheat genotypes, 95
Wood, P. J. REVIEW: Oat and rye β-glucan: Properties and function, 315

Xu, B. *See* M. A.-S. Abdel-Samie, 454
——. *See* L. Li, 497

Yadav, M. P., P. Cooke, D. B. Johnston, and K. B. Hicks. Importance of protein-rich components in emulsifying properties of corn fiber gum, 89
Yildiz, B. *See* U. B. Kutman, 1
Yin, Y. *See* H.-J. Chung, 297
Yu, L. *See* H. Liu, 144
Yue, T. *See* L. Cui, 403

Zazueta-Morales, J. J. *See* V. Limón-Valenzuela, 612
Zhai, H. *See* Y. Shen, 118
Zhang, G., and B. R. Hamaker. REVIEW: Cereal carbohydrates and colon health, 331
Zhang, Y. *See* Y. Shen, 118
Zhao, J. *See* G. Baxter, 250
Zielinski, H. *See* E. Capuano, 131

CEREAL CHEMISTRY®

Subject Index to Volume 87

Page numbers of errata are in italic.

Acacia gum
—modified (MAG) and native acacia gum (NAG), corn fiber gum vs., protein-rich components, emulsifying properties (Yadav et al), 89
Acrylamide formation, rye flour extraction rate in bread crisps (Capuano et al), 131
Actin, measurement from maize starch granules, for determination of relative average degrees of channelization (Widya et al), 194
Albumin
—and pasting and textural characteristics of rice flour (Baxter et al), 250
—of wheat grain, influence of microwave heating on biological activities and electrophoretic pattern of (Warchalewski and Gralik), 35
Alkaline cooking performance, of selected corn and sorghum hybrids, factors affecting (Johnson et al), 524
Alkaline noodles, glutenin macropolymer in doughs (Ong et al), 79
Alveograph analysis, on flour mill streams (Iuliana et al), 112
Amaranth (*Amaranthus hypochondriacus*), influence of pH on structure and function of protein isolates (Abugoch et al), 448
α-Amylase, from outer bran layers of germinated wheat grains, effect on breadmaking properties (Seguchi et al), 231
Amyloglucosidase, digestion of mutant maize cultivars; methods for determining relative average number of channels per maize starch granule (Widya et al), 194
Amylopectin, approaches for modification of starch composition in durum wheat (Lafiandra et al), 28
Amylose
—approaches for modification of starch composition in durum wheat (Lafiandra et al), 28
—hydroxypropylated corn starch, morphologies and thermal properties of (Liu et al), 144
Antioxidants
—effects of cumin and ginger on dough mixing properties and cookie quality (Abdel-Samie et al), 454
—in buckwheat vs. wheat flours (Sedej et al), 387
—rye flour extraction rate in bread crisps (Capuano et al), 131
Arabinofuranosidases, and arabinoxylan-oligosaccharides (AXOS) from wheat bran, factors affecting enzymatic production (Van Craeyveld et al), 283
Arabinoxylans
—barley, influence of jet cooking and pH on extraction and molecular weight (Rose et al), 607
—barley, variations in content and molecular structure of, and genotypic and cellular origin (Izydorczyk), 376
—effect of carbonate on co-extraction with glutenin macropolymer (Kongraksawech et al), 86
—from cereal grains, variability in fine structures of, human health and nutrition and (Collins et al), 272
—from rye, molecular structure, physicochemical properties and physiological effects in the gastrointestinal tract (Knudsen and Laerke), 353
—in fractions from wheat processing (Haska et al), 125
—with oligosaccharides (AXOS) from wheat bran, factors affecting enzymatic production (Van Craeyveld et al), 283
Aroma compounds, in buckwheat groats, flour, bran, and husk (Janes et al), 141
Artificial neural network (ANN), for in vitro prediction of glycemic index (Magaletta et al), 363
Australian perspective, on promoting cereal grain and whole grain consumption (Griffiths), 159
AXOS. *See* Arabinoxylans

Baking gradients, heterogeneity in starch and proteins in pound cake (Wilderjans et al), 307
Barley
—β-glucan and arabinoxylan from, influence of jet cooking and pH on extraction and molecular weight (Rose et al), 607
—β-glucan from, effect of formulation and processing treatments on viscosity and solubility in bread dough evaluated under in vitro conditions (Moriartey et al), 65
—functionality of proteins extracted by alkaline and alcohol methods (Wang et al), 597
—hordeins and malting quality traits, effect of timing on nitrogen fertilizer application (Ajith et al), 393
—isolated starch recovery and purity, fractionation water temperature and (Park and Baik), 561
—nonstarch polysaccharides, variations in content and molecular structure of, and genotypic and cellular origin (Izydorczyk), 376
—U.S. breeding lines, variations in kernel hardness and associated traits (Nair et al), 461
Batter pasting viscosity, predicting Japanese sponge cake volume (Nakamura et al), 505
β-Glucan
—from barley, effect of formulation and processing treatments on viscosity and solubility in bread dough evaluated under in vitro conditions (Moriartey et al), 65
—from barley, influence of jet cooking and pH on extraction and molecular weight (Rose et al), 607
—fortification of bread, effect of health information on consumer acceptability (Moriartey et al), 428
—oat and rye, properties and function of (Wood), 315
Biofortification
—of durum wheat with zinc (Cakmak et al), 10
—of durum wheat with zinc through soil and foliar applications of nitrogen (Kutman et al), 1
Bran
—buckwheat, aroma compounds in (Janes et al), 141
—outer layers from germinated wheat grains, effect of on breadmaking properties (Seguchi et al), 231
Branching enzymes, and approaches for modification of starch composition in durum wheat (Lafiandra et al), 28
Bread
—effect of outer bran layers from germinated wheat grains on breadmaking properties (Seguchi et al), 231
—fortified with β-glucan, effect of health information on consumer acceptability (Moriartey et al), 428
—*Moddizzosu*, Sardinian regional bread, influence of yeast and gluten on performance of (Fadda et al), 204
—protein and quality characterization of triticale translocation lines in (Jonnala et al), 546
—straight-dough, effect of coenzymes NAD(P)(H) on protein properties and loaf volume (Joye et al), 420
Bread crisps, rye flour extraction rate and Maillard reaction, antioxidants, and acrylamide formation (Capuano et al), 131
Brown rice, effect of ultrasonic treatment at different temperatures on cooking properties and quality (Cui et al), 403
Bualoy dessert, using waxy rice flour, freeze-thaw stability (Vatanasuchart et al), 73
Buckwheat (*Fagopyrum esculentum*)
—aroma compounds in groats, flour, bran and husk of (Janes et al), 141
—flour, antioxidant components and activity of (Sedej et al), 387

Cake baking, functionality
—baking gradients causing heterogeneity in starch and proteins in pound cake (Wilderjans et al), 307
—predicting volume using flour pasting properties (Nakamura et al), 505
—RVA and time-lapse photography for studying effects of extent of

chlorination, milling extraction rate, and particle-size reduction (Kweon et al), 409
Carbohydrates, indigestible, characterization in fractions from wheat processing (Haska et al), 125
Carbon dioxide test kit, for fungal invasion of stored corn (Moog et al), 182
Carbonate, and co-extraction of arabinoxylans with glutenin macropolymer (Kongraksawech et al), 86
C-Cell imaging system, evaluating sugar-snap cookies (Stevenson et al), 137
Cereals, ready-to-eat, folic acid determined by LCMS, product labels vs. values determined by microbiological assay (Phillips et al), 42
Chlorination, Rapid ViscoAnalyser (RVA) and time-lapse photography to explore effect of on cake-baking functionality (Kweon et al), 409
Coenzymes, NAD(P)(H), in straight-dough breadmaking, effect on protein properties and loaf volume (Joye et al), 420
Colon health, and cereal carbohydrates (Zhang and Hamaker), 331
Cookies
—effects of cumin and ginger as antioxidants (Abdel-Samie et al), 454
—micro-sugar-snap and micro-wire-cut, made with trans-fat and zero-trans-fat shortenings (Kweon et al), 415
—sugar-snap, digital image analysis for evaluating (Stevenson et al), 137
—sugar-snap, impact of fat on properties of (Pareyt et al), 226
Coproducts, ethanol; physical and chemical characterization relevant to value-added uses (Bhadra et al), 439
Corn
—amyloglucosidase digestion of raw granules of mutant cultivars, and methods for determining relative average number of channels per starch granule (Widya et al), 194
—Corn Belt hybrids, F_1 generation of introgressed exotic and adapted inbred lines, variation among physical, compositional, and wet-milling characteristics (Taboada-Gaytan et al), 175
—crosses of inbreds with exotic and nonexotic background, physical, compositional, and wet milling characteristics of grain from (Taboada-Gaytan et al), 486
—exotic lines with increased resistant starch and impact on starch thermal characteristics (Rohlfing et al), 190
—fiber gum, emulsifying properties, importance of protein-rich components in (Yadav et al), 89
—gels, effects of ice structuring proteins on freeze-thaw stability of (Li et al), 497
—hybrids, factors affecting alkaline cooking performance of (Johnson et al), 524
—hybrids, F_1 generation of introgressed exotic and adapted inbred lines, variation in physical, compositional, and wet-milling characteristics (Taboada-Gaytan et al), 175
—micronutrient-fortified masa and tortillas, stability of native and added folic acid in (Chapman et al), 434
—milled, and distillers dried grains with solubles (DDGS), factors affecting crude oil analysis (Liu), 243
—shelled, fungal susceptibility at four temperature-moisture combinations, carbon dioxide kit color reader evaluation (Moog et al), 182
Corn starch, hydroxypropylated, morphologies and thermal properties of (Liu et al), 144
Cross-linked carboxymethyl rice starches (CL-CMRS), prepared by simultaneous dual reaction, physiochemical and pharmaceutical properties (Kittipongpatana et al), 214
Crude oil content, in milled corn and distillers dried grains with solubles, factors affecting analysis (Liu), 243
Cumin, as antioxidant, effect of on dough mixing properties and cookie quality (Abdel-Samie et al), 454

DDGS. *See* Distillers dried grains with solubles
Debranching enzymes, and approaches for modification of starch composition in durum wheat (Lafiandra et al), 28
Definitions, regulatory aspects of whole grain and whole grain foods and (Jones), 150
Deoxynivalenol
—from *Fusarium* spp., in durum wheat pasta production chain (Visconti and Pascale), 21
—in single wheat kernels, NIR spectroscopy for identifying damage and predicting (Peiris et al), 511
Dietary fiber, cereal carbohydrates and colon health (Zhang and Hamaker), 331
Digestion, simulated, for in vitro prediction of glycemic index of foods (Magaletta et al), 363
Digital color reader, and carbon dioxide test kit for fungal invasion of stored corn at four temperature-moisture combinations (Moog et al), 182
Digital image analysis, for evaluating sugar-snap cookies (Stevenson et al), 137
Distillers dried grain (DDG), physical and chemical characterization of relevant to value-added uses (Bhadra et al), 439
Distillers dried grains with solubles (DDGS)
—distillers wet grains (DWG), physical and chemical characterization relevant to value-added uses (Bhadra et al), 439
—factors affecting crude oil analysis of, compared with milled corn (Liu), 243
—granular packing and bulk density of (Keierleber and Rosenstrater), 586
Dry-grind processing, using granular starch hydrolyzing enzyme, laboratory yields and process stream compositions (Arora et al), 100
Durum wheat (*Triticum durum*)
—approaches for modification of starch composition (Lafiandra et al), 28
—biofortification with zinc and iron (Cakmak et al), 10
—biofortification with zinc through soil and foliar applications of nitrogen (Kutman et al), 1
—innovative traditional Italian breads from, influence of yeast and gluten on performance (Fadda et al), 204
—mycotoxins of *Fusarium*, in pasta production (Visconti and Pascale), 21
E-Mill, granular starch hydrolyzing enzyme, laboratory yields and process stream compositions from (Arora et al), 100
Emulsifying properties, of corn fiber gum, importance of protein-rich components in (Yadav et al), 89
Enriched expanded pellets, with milk protein concentrate (MPC), physiochemical evaluation and optimization of (Limón-Valenzuela et al), 612
Ethanol, coproducts, physical and chemical characterization relevant to value-added uses (Bhadra et al), 439
European Union Food Safety Authority, perspective on regulatory aspects for whole grain and whole grain food (Binns), 162
Eurygaster spp. (suni bug), proteinase from, gluten hydrolysates and (Olanca and Özay), 518
Extrusion cooking, physiochemical evaluation and optimization of enriched expanded pellets of milk protein concentrate (MPC) (Limón-Valenzuela et al), 612

Fat
—impact on dough and cookie properties of sugar-snap cookies (Pareyt et al), 226
—in rice, identification of QTL affecting (Shen et al), 118
—micro-sugar-snap and micro-wire-cut cookie baking with shortenings and (Kweon et al), 415
Fermentation, effect on viscosity and solubility of extractable barley β-glucan in bread dough evaluated in vitro (Moriartey et al), 65
Fertilizer, nitrogen, and hordeins and malting quality traits, effect of timing of application on (Ajith et al), 393
Ferulic acid, in buckwheat vs. wheat flours (Sedej et al), 387
Fiber
—effect of adding different sources from on farinographic parameters of wheat flour (Lopes Almeida et al), 565
—from high-amylose non-*floury* corn, tortilla texture and (Rohlfing et al), 581
Fibersym-RW and FiberRite-RW, effect on wheat tortilla quality (Alviola et al), 221
Flour
—barley, isolated starch recovery and purity, fractionation water temperature and (Park and Baik), 561
—buckwheat, aroma compounds in (Janes et al), 141
—buckwheat vs. wheat, comparison of antioxidant components and activity of (Sedej et al), 387
—in straight-dough breadmaking, effect of coenzymes NAD(P)(H) on protein properties and loaf volume (Joye et al), 420
—RVA and time-lapse photography for studying effects of extent of chlorination, milling extraction rate, and particle-size reduction on

cake-baking functionality (Kweon et al), 409
—wheat, effect of adding different sources of fiber on farinographic parameters (Lopes Almeida et al), 565
—wheat, effects of extraction rates on phyllo properties at different storage temperatures (Erbas et al), 398
Flour mill streams, physiochemical and rheological analysis of (Iuliana et al), 112
Folic acid
—in ready-to-eat cereals determined by LCMS, product label vs. values determined by microbiological assay (Phillips et al), 42
—stability of native and added in micronutrient-fortified corn masa and tortillas (Chapman et al), 434
Fortification
—of bread with β-glucan, effect of health information on consumer acceptability (Moriartey et al), 428
—of corn masa and tortillas, stability of native and added folic acid (Chapman et al), 434
Freeze-thaw stability
—of *bualoy* dessert using waxy rice flour (Vatanasuchart et al), 73
—of corn and wheat starch gels, effects of ice structuring proteins (Li et al), 497
Fructans, in fractions from wheat processing (Haska et al), 125
Fuel ethanol. *See* Ethanol
Fungal infection, four temperature-moisture conditions for stored corn, carbon dioxide kit color reader evaluation (Moog et al), 182
Fusarium head blight, NIR spectroscopy for identifying damage and predicting deoxynivalenol in single wheat kernels (Peiris et al), 511
Fusarium spp., mycotoxins in durum wheat pasta production (Visconti and Pascale), 21

Galactosyl-lipids, from oat kernels (Doehlert et al), 467
Gelatinization
—effect of increasing starch concentration in starch-water systems (Goldstein et al), 370
—of high-amylose corn starch (Liu et al), 144
—starch from exotic corn lines with increased resistant starch (Rohlfing et al), 190
Gels, corn and wheat starch, effects of ice structuring proteins on freeze-thaw stability of (Li et al), 497
Germplasm Enhancement of Maize (GEM) project
—crosses of corn inbreds with exotic and nonexotic background, physical, compositional, and wet milling characteristics of grain (Taboada-Gaytan et al), 486
—lines from, F_1 generation of introgressed exotic and adapted inbred lines, variation in physical, compositional, and wet-milling characteristics (Taboada-Gaytan et al), 175
Ginger, as antioxidant, effect on dough mixing properties and cookie quality (Abdel-Samie et al), 454
β-D-Glucans
—barley, variations in content, molecular structure, genotypic and cellular origin of (Izydorczyk), 376
—from cereal grains, variability in fine structures of, human health and nutrition and (Collins et al), 272
Glucuronoarabinoxylans, developments in understanding of sorghum polysaccharides and (Taylor and Emmambux), 263
Gluten
—effect on viscosity and solubility of extractable barley β-glucan in bread dough evaluated under in vitro conditions (Moriartey et al), 65
—influence on sourdough performance of *Moddizzosu* breads (Fadda et al), 204
—wheat hydrolysate, and suni bug proteinase (Olanca and Özay), 518
Glutenin macropolymer
—effect of carbonate on co-extraction of arabinoxylans (Kongraksawech et al), 86
—in salted and alkaline noodle doughs (Ong et al), 79
Glycemic index, in vitro method for prediction, simulated digestion and artificial neural network (Magaletta et al), 363
Go Grains Health & Nutrition, Australian perspective on promoting cereal grain and whole grain consumption (Griffiths), 159
Grains, insights into future, look to the past (Hauge et al), 155
Granular starch hydrolyzing enzymes, laboratory yields and process stream compositions from E-Mill and dry-grind processes (Arora et al), 100
Granule bound starch synthases
—approaches for modification of starch composition in durum wheat (Lafiandra et al), 28
—characterization of small and large starch granules isolated from two cultivars of maize (Utrilla-Coello et al), 50
Groats, buckwheat, aroma compounds in (Janes et al), 141
GSHE. *See* Granular starch hydrolyzing enzymes

Hard red spring wheat
—association of size-exclusion HPLC of endosperm proteins with dough mixing and breadmaking characteristics in a recombinant inbred population of hard red spring wheat (Tsilo et al), 104
—variability and relationships among mixolab, mixograph, and baking parameters (Caffe-Treml), 574
Hardness (*Ha*) locus, in soft white spring wheat; milling and baking (Reynolds et al), 237
Health
—colon, cereal carbohydrates and (Zhang and Hamaker), 331
—digestive, whole grains and (Slavin), 292
—EU perspective on regulatory aspects for whole grain and whole grain food (Binns), 162
—fortification of bread with β-glucan, effect of health information on consumer acceptability (Moriartey et al), 428
—look to the past and insights into the future of grain (Hauge et al), 155
—molecular diversity in pulse seed starch; complex carbohydrates and (Chibbar et al), 342
—promoting cereal and whole grain consumption (Griffiths), 159
—regulatory aspects of whole grain and whole grain foods (Jones), 150
—rye arabinoxylans and (Knudsen and Laerke), 353
—sorghum polysaccharides, developments in understanding (Taylor and Emmambux), 263
—variability in fine structures of noncellulosic cell wall polysaccharides from cereal grains (Collins et al), 272
—whole grains; evidence from observational and intervention studies (Seal and Brownlee), 167
High-amylose corn starch G80, hydroxypropylated, morphologies and thermal properties of (Liu et al), 144
High-amylose maize starch VII (HA7), in novel resistant starch, effect on postprandial plasma-glucose and insulin responses (Hasjim et al), 257
Hordeins, and malting quality traits, effect of nitrogen fertilizer timing application on (Ajith et al), 393
HPLC. *See* Size-exclusion HPLC
HT-2 toxin, from *Fusarium* spp., in durum wheat pasta production chain (Visconti and Pascale), 21
Husk, buckwheat, aroma compounds in (Janes et al), 141
Hydroxypropylation, of high-amylose corn starch, morphologies and thermal properties and (Liu et al), 144

Ice structuring proteins (ISP), effects on freeze-thaw stability of corn and wheat starch gels (Li et al), 497
Inclusive composite interval mapping (ICIM) method, identification of quantitative trait loci affecting grain fat content in rice (Shen et al), 118
Insulin response, and effect of novel resistant starch (Hasjim et al), 257
International Whole Grain Summit, grains for health: A look to the past and insights into the future (Hauge et al), 155
Interventional studies, whole grains; evidence from (Seal and Brownlee), 167
Iron, biofortification of durum wheat (Cakmak et al), 10
Isoamylase, and novel resistant starch, characterization and effect on postprandial plasma-glucose and insulin responses (Hasjim et al), 257

Jet cooking, and pH, influence on extraction and molecular weight of β-glucan and arabinoxylan from barley (Rose et al), 607

Kernel hardness, variations in U.S. barley breeding lines (Nair et al), 461

Labeling
—regulatory aspects of whole grain, whole grain foods (Jones), 150

—values determined by microbiological assay vs., folic acid contents in ready-to-eat cereals determined by LCMS (Phillips et al), 42
Lipids
—oat, accumulation of oxygenated fatty acids during storage (Doehlert et al), 532
—polar, from oat kernels (Doehlert et al), 467
Lubricated squeezing flow (LSF), testing of salted and alkaline noodle doughs, glutenin macropolymer and (Ong et al), 79

Maillard reaction, rye flour extraction rate in bread crisps (Capuano et al), 131
Maize, physiochemical and enzyme characterization of small and large starch granules isolated from two cultivars (Utrilla-Coello et al), 50
Malting, quality traits and hordeins, effect of timing of nitrogen fertilizer application (Ajith et al), 393
Masa, micronutrient-fortified corn, stability of native and added folic acid (Chapman et al), 434
Microwave heating, and biological activities; electrophoretic pattern of albumin fraction of wheat grain (Warchalewski and Gralik), 35
Milk protein concentrate (MPC), physiochemical evaluation and optimization of enriched expanded pellets (Limón-Valenzuela et al), 612
Milling
—grain from crosses of corn inbreds with exotic and nonexotic background (Taboada-Gaytan et al), 486
—introgressed exotic and adapted inbred wheat lines, variation among physical, compositional, and wet-milling characteristics (Taboada-Gaytan et al), 175
—physiochemical and rheological analysis of streams (Iuliana et al), 112
—Rapid ViscoAnalyser and time-lapse photography exploring effect on cake-baking functionality (Kweon et al), 409
—soft white spring wheat, novel Ha Locus, *Pina-D1c/Pinb-D1h* (Reynolds et al), 237
Mixograph analysis, and mixolab and baking parameters, in multienvironment spring wheat trials (Caffe-Treml and), 574
Mixolab analysis
—and mixograph and baking parameters, multienvironment spring wheat trials and (Caffe-Treml and), 574
—on flour mill streams (Iuliana et al), 112
—*Moddizzosu* breads, sourdough, influence of yeast and gluten on (Fadda et al), 204
Mycotoxins, *Fusarium* spp., in durum wheat pasta production chain (Visconti and Pascale), 21

NAD(P)(H) coenzymes, effect on protein properties and loaf volume in straight-dough breadmaking (Joye et al), 420
Near-infrared spectroscopy, single kernel, for identifying *Fusarium* head blight damage and predicting deoxynivalenol in wheat (Peiris et al), 511
Nitrogen, soil and foliar applications of, biofortification of durum wheat with zinc (Kutman et al), 1
Nivalenol, from *Fusarium* spp., in durum wheat pasta production (Visconti and Pascale), 21
Noodles. *See also* Alkaline noodles; Salted noodles

Oat
—accumulation of oxygenated fatty acids in lipids during storage (Doehlert et al), 532
—β-glucans, properties and function (Wood), 315
—polar lipids from (Doehlert et al), 467
Oxygenated fatty acids, accumulation of in oat lipids during storage (Doehlert et al), 532

Palmitic acid, in novel resistant starch, characterization of, and effect on postprandial plasma-glucose and insulin responses (Hasjim et al), 257
Particle size, Rapid ViscoAnalyser and time-lapse photography to explore effect of on cake-baking functionality (Kweon et al), 409
Pasting properties, effect of albumin on in rice flour (Baxter et al), 250
pH level
—and jet cooking, influence of on extraction and molecular weight of β-glucan and arabinoxylan from barley (Rose et al), 607
—influence on structure and function of amaranth protein isolates (Abugoch et al), 448
Phenolics, in buckwheat vs. wheat flours (Sedej et al), 387
Phyllo, (*yufka*) effect of extraction rates of wheat flour on properties of at different storage temperatures (Erbas et al), 398
Pina-D1c/Pinb-D1h locus, in soft white spring wheat, and milling and baking (Reynolds et al), 237
Polysaccharides
—barley nonstarch, variations in content and molecular structure, and genotypic and cellular origin (Izydorczyk), 376
—noncellulosic cell wall from cereal grains, variability in fine structures of, and human health and nutrition (Collins et al), 272
—sorghum, developments in understanding of (Taylor and Emmambux), 263
Postprandial plasma-glucose response, effect of novel resistant starch on (Hasjim et al), 257
Pound cake, baking gradients causing heterogeneity in starch and proteins in (Wilderjans et al), 307
Premixing, effect of on viscosity and solubility of extractable barley β-glucan in bread dough evaluated under in vitro conditions (Moriartey et al), 65
Protein
—effects of tillage and soil type on in three related wheat genotypes (Wilkes et al), 95
—from barley, extracted by alkaline and alcohol methods, functionality of (Wang et al), 597
—from barley, fractionation water temperature and (Park and Baik), 561
—in hard red spring wheat, molecular weight distribution; quality parameters, intrasample uniformity and (Ohm et al), 553
—in pound cake, baking gradients causing heterogeneity in (Wilderjans et al), 307
—isolates from amaranth, influence of pH on structure and function (Abugoch et al), 448
—milk protein concentrate, physiochemical evaluation and optimization of enriched expanded pellets with (Limón-Valenzuela et al), 612
—of corn fiber gum, importance in emulsifying properties (Yadav et al), 89
—of triticale translocation lines in breadmaking (Jonnala et al), 546
—of waxy wheat, characterization of complete and partial near-isogenic lines (Jonnala et al), 538
Pulse crops, molecular diversity in seed starch and complex carbohydrates and role in human nutrition and health (Chibbar et al), 342
Pyrodextrins, and physicochemical and functional properties of wheat starch in various foods (Maningat and Seib), 305

QTL (quantitative trait loci), affecting grain fat content in rice, identification (Shen et al), 118
Quercetin, in buckwheat vs. wheat flours (Sedej et al), 387

RADC. *See* Relative average degrees of channelization
Rapid ViscoAnalyser. *See* RVA
Regulations
—for whole grain and whole grain food, European Union perspective (Binns), 162
—in whole grain and whole grain foods, labeling and definitions (Jones), 150
Relative average degrees of channelization (RADC), determination in mutant maize cultivars by amyloglucosidase (Widya et al), 194
Resistant starch
—cross-linked, effect on wheat tortilla quality (Alviola et al), 221
—from high-amylose non-*floury* corn, tortilla texture and (Rohlfing et al), 581
—increase in exotic corn lines, impact on starch thermal characteristics (Rohlfing et al), 190
—novel, characterization of, and effect on postprandial plasma-glucose and insulin responses (Hasjim et al), 257
Response surface methodology (RSM), effect of different sources of fiber from farinographic parameters of wheat flour (Lopes Almeida et al), 565
Retrogradation, effect of increasing the starch concentration in starch-water systems (Goldstein et al), 370
Rheofermentograph analysis, on flour mill streams (Iuliana et al), 112
Rice (*Oryza sativa*)
—brown, effect of ultrasonic treatment at different temperatures on

cooking properties and quality (Cui et al), 403
—cooked, from commercial Canadian cultivars in, physiochemical properties and in vitro starch digestibility (Chung et al), 297
—flour, effect of albumin on pasting and textural characteristics (Baxter et al), 250
—identification of quantitative trait loci affecting grain fat content in (Shen et al), 118
—starch, cross-linked carboxymethyl, prepared by simultaneous dual reaction, physiochemical and pharmaceutical properties (Kittipongpatana et al), 214
RS4-type, and physicochemical and functional properties of wheat starch in various foods (Maningat and Seib), 305
Rutin, in buckwheat vs. wheat flours (Sedej et al), 387
RVA
—for studying extraction rate, and time-lapse photography to explore effect of on cake-baking functionality (Kweon et al), 409
—for studying effects of extent of chlorination, milling extraction rate, and particle-size reduction of flour on cake-baking functionality (Kweon et al), 409
Rye
—arabinoxylans from, molecular structure, physicochemical properties and physiological effects in the gastrointestinal tract (Knudsen and Laerke), 353
—β-glucan of, properties and function (Wood), 315
Rye flour, extraction rate and Maillard reaction development, antioxidant activity, and acrylamide formation in bread crisps (Capuano et al), 131

Salted noodles, glutenin macropolymer in doughs of (Ong et al), 79
SDS extractable protein, of sugar-snap cookies, impact of fat on (Pareyt et al), 226
Single kernel characterization system, for analysis of variation in kernel hardness and associated traits in U.S. barley breeding lines (Nair et al), 461
Single kernel near-infrared spectroscopy, for identifying *Fusarium* head blight damage and predicting deoxynivalenol in wheat (Peiris et al), 511
Size-exclusion HPLC, of endosperm proteins, association with dough mixing and breadmaking characteristics in a recombinant inbred population of hard red spring wheat (Tsilo et al), 104
Soft white spring wheat, novel Ha Locus, *Pina-D1c/Pinb-D1h* in, and milling and baking (Reynolds et al), 237
Soil type, tillage, effects of on protein and starch quality in three related wheat genotypes (Wilkes et al), 95
Solubility, extractable barley β-glucan in bread dough evaluated under in vitro conditions, effect of formulation and processing treatments on (Moriartey et al), 65
Solvent retention capacity, for predicting Japanese sponge cake volume using flour batter pasting viscosity (Nakamura et al), 505
Sorghum
—hybrids of, factors affecting alkaline cooking performance of (Johnson et al), 524
—polysaccharides, developments in understanding of (Taylor and Emmambux), 263
Sourdough breads, *Moddizzosu*, influence of yeast and gluten on performance of (Fadda et al), 204
Spaghetti, fiber-enriched containing microbial transglutaminase (Sissons et al), 50
Specific cake volume, predicted using flour batter pasting viscosity (Nakamura et al), 505
Sponge cake, Japanese, predicting volume using flour pasting properties (Nakamura et al), 505
Starch. *See also* Resistant starch
—approaches for modifying composition in durum wheat (Lafiandra et al), 28
—effects of ice structuring proteins on freeze-thaw stability of corn and wheat starch gels, 497
—effects of tillage and soil type on in three related wheat genotypes (Wilkes et al), 95
—from exotic corn lines with increased resistant starch, impact on thermal characteristics (Rohlfing et al), 190
—from maize, methods for determination of relative average degrees of channelization of (Widya et al), 194
—in pound cake, baking gradients causing heterogeneity in (Wilderjans et al), 307
—increasing concentration of, and molecular interactions in starch-water systems (Goldstein et al), 370
—physiochemical and enzyme characterization of small and large granules isolated from two maize cultivars (Utrilla-Coello et al), 50
—pulse seed and, molecular diversity and human nutrition and health (Chibbar et al), 342
—rice, cross-linked carboxymethyl, prepared by simultaneous dual reaction, physiochemical and pharmaceutical properties of (Kittipongpatana et al), 214
—sorghum, developments in understanding of (Taylor and Emmambux), 263
—wheat, in various foods, understanding the physicochemical and functional properties of (Maningat and Seib), 305
Starch synthases, and approaches for modification of starch composition in durum wheat (Lafiandra et al), 28
Sugar-snap cookies
—evaluating using digital image analysis (Stevensonet al), 137
—impact of fat on properties of (Pareyt et al), 226
—Suni bug enzyme, from bug-damaged wheat, gluten hydrolysates and (Olanca and Özay), 518
—with trans-fat and zero-trans-fat shortenings (Kweon et al), 415

T-2 toxin, from *Fusarium* spp., in durum wheat pasta production (Visconti and Pascale), 21
Thin stillage, properties from E-Mill process and dry-grind process using granular starch hydrolyzing enzyme (GSHE), laboratory yields and process stream compositions from (Arora et al), 100
Tillage, and soil type, effects on protein and starch quality in three related wheat genotypes (Wilkes et al), 95
Time-lapse photography, for studying effects of extent of chlorination, milling extraction rate, and particle-size reduction of flour on cake-baking functionality (Kweon et al), 409
Tocopherols, in buckwheat vs. wheat flours (Sedej et al), 387
Tortillas
—effect of resistant starch and fiber from high-amylose non-*floury* corn on (Rohlfing et al), 581
—evaluation of quality, objective vs. subjective methods (Alviola et al), 481
—micronutrient-fortified corn, stability of native and added folic acid (Chapman et al), 434
—wheat, effect of cross-linked resistant starch (Alviola et al), 221
Trans-fat, micro-sugar-snap and micro-wire-cut cookie baking with shortenings and (Kweon et al), 415
Transglutaminase, microbial, quality of fiber-enriched spaghetti containing (Sissons et al), 50
Triticale, translocation lines, protein and quality characterization in breadmaking (Jonnala et al), 546

Ultrasonic treatment, of brown rice at different temperatures, effect on cooking properties and quality (Cui et al), 403

Viscosity
—of extractable barley β-glucan in bread dough evaluated under in vitro conditions, formulation and processing treatments (Moriartey et al), 65
—oat and rye β-glucan and (Wood), 315
Volatiles, in buckwheat groats, flour, bran and husk (Janes et al), 141

Waxy rice flour, freeze-thaw stability of Thai *bualoy* dessert using (Vatanasuchart et al), 73
Wet milling, grain from crosses of corn inbreds with exotic and nonexotic background (Taboada-Gaytan et al), 486
Wheat. *See also* Durum wheat
—arabinoxylan-oligosaccharides from bran, factors affecting enzymatic production of (Van Craeyveld et al), 283
—association of size-exclusion HPLC of endosperm proteins with dough mixing and breadmaking characteristics in a recombinant inbred population of hard red spring wheat (Tsilo et al), 104
—effect of adding different sources of fiber on farinographic parameters of flour (Lopes Almeida et al), 565
—effects of soil type and tillage on protein and starch quality in three related genotypes (Wilkes et al), 95
—flour, effects of extraction rates of on phyllo properties at different storage temperatures (Erbas et al), 398
—flour of, antioxidant components and activity of (Sedej et al), 387

—gels, effects of ice structuring proteins on freeze-thaw stability of (Li et al), 497
—hard red spring, association of size-exclusion HPLC of endosperm proteins with dough mixing and breadmaking characteristics in a recombinant inbred population of hard red spring wheat (Tsilo et al), 104
—hard red spring, variability and relationships among mixolab, mixograph, and baking parameters (Caffe-Treml), 574
—microwave heating of, and biological activities and electrophoretic pattern of albumin fraction (Warchalewski and Gralik), 35
—NIR spectroscopy for identifying *Fusarium* head blight damage and predicting deoxynivalenol in single kernels (Peiris et al), 511
—outer bran layers from germinated grains, effect on breadmaking properties (Seguchi et al), 231
—processing, characterization of indigestible carbohydrates in fractions from (Haska et al), 125
—protein molecular weight distribution in; quality parameters, intrasample uniformity and (Ohm et al), 553
—soft white spring, novel Ha Locus, *Pina-D1c/Pinb-D1h* in; milling and baking (Reynolds et al), 237
—starch, in various foods, understanding physicochemical and functional properties of (Maningat and Seib), 305
—waxy, protein and quality characterization of complete and partial near-isogenic lines of (Jonnala et al), 538
Whole Grain Summit, International
—Article 13 claims, and whole grain and whole grain food in European Union (Binns), 162
—Grains for health: A look to the past and future (Hauge et al), 155
—Whole Grain Task Force, regulatory aspects of whole grain and whole grain foods and (Jones), 150
Whole grains
—and digestive health (Slavin), 292
—observational studies; evidence from (Seal and Brownlee), 167
Wire-cut cookies, made with trans-fat and zero-trans-fat shortenings (Kweon et al), 415

Xylanases
—xylosidases and arabinoxylan-oligosaccharides from wheat bran, factors affecting enzymatic production of(Van Craeyveld et al), 283
—from outer bran layers from germinated wheat grains, effect on breadmaking properties (Seguchi et al), 231

Yeast
—addition, effect on viscosity and solubility of extractable barley β-glucan in bread dough evaluated under in vitro conditions (Moriartey et al), 65
—influence on performance of sourdough *Moddizzosu* breads (Fadda et al), 204, *619*
Yufka. *See* Phyllo

Zearalenone, from *Fusarium* spp., in durum wheat pasta production (Visconti and Pascale), 21
Zinc biofortification
—of durum wheat (Cakmak et al), 10
—of durum wheat; soil and foliar applications of nitrogen (Kutman et al), 1